




### Achil® Perforated Stair Treads

2 mm thick Galvanised Steel to BS EN 1461:1999


9 mm dia raised hole, 5 mm dia indented hole - Loading design in accordance with BS EN 14122: Part 3

Length mm	Depth mm	Width	Width	Width	Width	Width	Width
		150	200	225	250	275	300
Item codes							
400	45	20100	20410	20770	-	-	-
500	45	20150	20420	20780	21120	-	-
600	45	20200	20450	20800	21150	21550	21950
700	45	20250	20500	20850	21200	21600	22000
800	45	20300	20550	20900	21250	21650	22050
900	45	20350	20600	20950	21300	21700	22100
1000	45	20400	20650	21000	21350	21750	22150
1100	57	-	20700	21050	21400	21800	22200
1200	57	-	20750	21100	21450	21850	22250
1500	57	-	20760	21110	21500	21900	22300

A	D	E	G	K
150	35	15	13	78
200	45	15	13	102
225	45	15	13	127
250	50	15	13	142
275	62	15	13	143
300	50	15	13	192





Cross-section



### Stair Treads, Galvanised to BS EN 1461:1999

Loading design in accordance with BS 4592: Part 0: 2006


Bars/Type	Mesh	Length	Depth	Width		
				150 mm	250 mm	300 mm
Item codes						
20x2 SP	20x30	500	50	11900		
		600	50	11950		
		700	50		12000	
		800	50		12050	
		900	50		12100	
		1000	50/60		12150	12200
		1200	60			12250
		1500	70			12275








**Landing Panels, Galvanised to BS EN 1461:1999**  
Individual loading details available on request for each item.

Bars/Type mm	Span mm	Length mm	Mesh		
			30x30 mm	15x30 mm	9x30 mm
Item codes					
20x2 SP	500	1000			10100
	600	1000			10120
25x2 SP	400	1000	10950		
	500	1000	11000	10350	
	500	1500	11050	10400	
	600	1000	11100	10450	
	600	1500	11150	10500	
	700	1000	11200	10550	
	700	1500	11250	10600	
	800	1000	11300	10650	10150
	800	1500	11350	10700	
	900	1000	11400	10750	
30x2 SP	900	1500	11450	10800	
	1000	1000	11500	10850	10200
	1000	1500	11550	10900	10210
	1200	1000	11720		



**Landing Panels, Carbon Steel Self Colour**  
No edge bars, ready for fabrication


Bars/Type mm	Span mm	Length mm	Mesh		
			30x30 mm	20x30 mm	9x30 mm
Item codes					
25x2 SP	1000	1000	11740		10250
	1000	1500		11730	10300
	1000	2000	11750		
30x2 SP	1000	2000	11800		
	1200	2000	11850		






**Infill Panels, Carbon Steel Self Colour**  
No edge bars, ready for fabrication

Item code	Height	Width	Bars/Type	Mesh
	mm	mm		mm
12400	1100	1500	25x3 N	100x40
12450	1100	1200	25x2 N	33x33




**Stainless Steel Grade 1.4301, Mill Finish**  
No edge bars, ready for fabrication

Item codes	Span	Length	Bars/Type	Mesh
	mm	mm		mm
30100	1000	1000	25x2 SP	30x30
30150	1000	2000	25x2 SP	30x30
30200	1000	1000	30x2 SP	30x30
30250	1000	2000	30x2 SP	30x30



**Louvre Grilles, Carbon Steel Self Colour**  
No edge bars, ready for fabrication

Item code	Span/Height	Width	Mesh	Vertical Bars	45° Louvre Bars	Weight
	mm	mm	mm	mm	mm	Kgs/Each
11890	2000	1200	20x60	20x2	30x2	63
11895	2000	1200	50x80	30x20	50x2	52







**Type O2 Perforated Planks - 2 mm thick**  
9 mm dia raised hole, 5 mm dia indented hole

Carbon Steel			
Self Colour or Hot Dipped Galvanised to BS EN 1461:1999			
Item Codes	Width/Depth	Length	Weight
	mm	mm	Kgs/Each
22350	30/30	2000	2.40
22400	50/32	6000	8.76
22450	62/32	6000	9.78
22500	75/32	6000	10.98
22550	87/32	6000	12.18
22600	100/32	6000	13.38
22650	112/32	6000	14.58
22700	125/32	6000	15.78
22750	137/32	6000	16.98
22800	150/32	6000	18.18
22850	200/32	6000	20.28
22810	150/45	3000	9.40
22900	200/45	3000	11.31
22950	225/45	3000	12.27
23000	250/45	3000	13.23
23050	275/45	3000	14.19
23100	300/45	3000	15.15



Stainless Steel Grade BS EN 1.4301			
Mill Finish			
Item Codes	Width/Depth	Length	Weight
	mm	mm	Kgs/Each
23350	75/32	3000	5.49
23400	87/32	3000	6.09
23450	100/32	3000	6.69
23500	112/32	3000	7.29
23550	125/32	3000	7.89
23600	137/32	3000	8.49
23650	150/32	3000	9.09
23700	200/32	3000	10.14
23660	150/45	3000	9.40
23750	200/45	3000	11.31
23800	225/45	3000	12.27
23850	250/45	3000	13.23
23900	275/45	3000	14.19
23910	300/45	3000	15.20



**Type O3 Perforated Planks - 3 mm thick**  
14 mm dia raised hole, 8.5 mm dia indented hole

Carbon Steel			
Self Colour or Hot Dipped Galvanised to BS EN 1461:1999			
Item Codes	Width/Depth	Length	Weight
	mm	mm	Kgs/Each
23950	63/35	6000	14.58
24000	81/35	6000	16.56
24050	99/35	6000	18.03
24100	117/35	6000	19.90
24150	135/35	6000	21.78
24200	153/35	6000	23.64
24250	171/35	6000	25.54
24300	189/35	6000	27.42
24350	207/35	6000	29.30
24400	225/35	6000	31.18
24450	243/35	6000	33.05
24500	261/35	6000	34.93
24550	333/35	6000	42.42

Aluminium			
Mill Finish			
Item Code	Width/Depth	Length	Weight
	mm	mm	Kgs/Each
24600	100/45	6000	8.82
24650	150/45	6000	10.92
24700	200/45	6000	12.78



Cross-section of plank

Plan of plank